




Wire & Cable Product Manual



TWISTED | **TRIPLE**
LAYER

WIRES

unisafe
wires & cables



WIRE PRICE LIST | LP-3

w.e.f. April 2021



unisafe

wires & cables



CM/L-8530027016

FRLS TRIPLE LAYER-MULTISTRAND TWISTED CABLES

S.NO.	SIZE (SQ. MM)	NO./SIZE OF STRANDS	CURRENT CARRYING CAPACITY	STD. PKG.
1	0.75	7/0.370	8	20
2	1.00	19/0.260	12	20
3	1.50	19/0.320	18	20
4	2.50	36/0.300	24	10
5	4.00	37/0.370	32	10
6	6.00	84/0.300	39	1
7	10.00	140/0.300	51	1
8	16.00	224/0.300	68	1

SUBMERSIBLE CABLES 3 CORE FLAT COPPER

S.NO.	SIZE (SQ. MM)	NO. OF STRANDS	CURRENT CARRYING CAPACITY
9	1.50	22	16
10	2.50	36	22
11	4.00	56	30
12	6.00	84	38
13	10.00	140	51
14	16.00	226	69

SOLID STRAND OLD TYPE CABLE

S.NO.	SIZE (SQ. MM)	CURRENT CARRYING CAPACITY
15	3X20	16
16	7X20	30
17	7X18	38
18	7X16	69
19	7X14	88

ALUMINIUM TWIN FLAT PVC INSULATED CABLE 1100V.

S.NO.	SIZE (SQ. MM)	RATE (90 MTR)
20	1.50	852 .00
21	2.50	1,035 .00
22	4.00	1,380 .00
23	6.00	1,890 .00
24	10.00	2,785 .00
25	16.00	4,550 .00

ALUMINIUM-VIR SINGLE CORE CABLES

S.NO.	SIZE (SQ. MM)	NO./SIZE OF STRANDS
26	1.50	1/1.40
27	2.50	1/1.78
28	4.00	1/2.24
29	6.00	1/2.76
30	10.00	1/3.57
31	16.00	
32	25.00	

ALUMINIUM - MULTISTRAND

S.NO.	SIZE (SQ. MM)	NO./SIZE OF STRANDS
33	4.00	7/1.86
34	6.00	7/1.06
35	10.00	7/1.35





DALIMA GOLD-MULTISTRAND FIRE RETARDANT

S.NO.	SIZE (SQ. MM)	CURRENT CARRYING CAPACITY	STD. PKG.
36	0.50	5	24
37	0.75	7	24
38	1.00	12	24
39	1.50	16	24
40	2.50	22	12
41	4.00	29	12
42	6.00	38	1
43	10.00	51	1
44	16.00	69	

DALIMA SILVER / PRIME-MULTISTRAND FIRE RETARDANT

S.NO.	SIZE (SQ. MM)	CURRENT CARRYING CAPACITY	STD. PKG.
45	0.50	5	24
46	0.75	7	24
47	1.00	12	24
48	1.50	16	24
49	2.50	22	12
50	4.00	29	12
51	6.00	38	1
52	10.00	51	1
53	16.00	69	1

SUBMERSIBLE CABLES 3 CORE FLAT COPPER

S.NO.	SIZE (SQ. MM)	NO. OF STRANDS
54	1.50	22
55	2.50	36
56	4.00	56
57	6.00	84
58	10.00	140

SOLID STRAND OLD TYPE CABLE

S.NO.	SIZE (SQ. MM)	CURRENT CARRYING CAPACITY
59	1X18	7
60	3X22	13
61	3X20	16
62	7X22	22
63	7X20	30
64	7X18	38
65	7X16	69

ROUND -FLEXIBLE ABC COPPER WIRE

S.NO.	SIZE (SQ. MM)	CORE
66	14/.0052	2
67	23/.0052	2
68	23/.0052	3
69	23/.0052	4
70	40/.0052	2
71	40/.0052	3

FLEXIBLE - COPPER TWIN TWISTED

S.NO.	SIZE (SQ. MM)	SIZE/ NO. OF STRANDS
72	10 X 20	10/.20
73	10 X 76	10/.0048
74	14 X 76	14/.0048
75	18 X 76	18/.0048
76	23 X 76	23/.0048
77	40 X 76	40/.0048
78	LAPETA	7/.012

FLEXIBLE - ALLOY TWIN TWISTED

S.NO.	SIZE (SQ. MM)	NO.OF STRANDS
79	23 X 76	23/.0048
80	30 X 76	30/.0048
81	40 X 76	40/.0048



ROUND MULTICORE - 2 CORE FLEXIBLE WIRE-COPPER

S.NO.	SIZE (SQ. MM)	NO. OF STRANDS
82	0.50	7
83	1.00	14
84	1.50	22
85	2.50	36
86	4.00	56
87	6.00	84
88	10.00	140

ECO ROUND MULTICORE - 2 CORE FLEXIBLE WIRE-COPPER

S.NO.	SIZE (SQ. MM)	NO. OF STRANDS
89	1.00	14
90	1.50	22
91	2.50	36

ROUND MULTICORE - 3 CORE FLEXIBLE WIRE-COPPER

S.NO.	SIZE (SQ. MM)	NO. OF STRANDS
92	1.00	14
93	1.50	22
94	2.50	36
95	4.00	56
96	6.00	84

ROUND MULTICORE - 4 CORE FLEXIBLE WIRE-COPPER

S.NO.	SIZE (SQ. MM)	NO. OF STRANDS
97	1.00	14
98	1.50	22
99	2.50	36
100	4.00	56
101	6.00	84
102	10.00	140

SPEAKER WIRE - TRANSPARENT

S.NO.	SIZE (SQ. MM)	NO. OF STRANDS
103	23X76	23/.0048
104	40X76	40/.0048

PARALLEL WIRES / FLAT ABC WIRES

S.NO.	SIZE (SQ. MM)	NO. OF STRANDS
105	14 X 76	14/.0048
106	23 X 76	23/.0048
107	40 X 76	40/.0048
108	14X76 (FLAT)	14/.0048
109	23X76 (FLAT)	23/.0048
110	0.75 MM	10
111	1.0 MM	14
112	1.5 MM	22

TELEPHONE - CABLE

S.NO.	SIZE (SQ. MM)	DIA OF CONDUCTOR IN MM
113	1 PAIR	0.51
114	2 PAIR	0.51
115	3 PAIR	0.51
116	4 PAIR	0.51
117	5 PAIR	0.51

CO-AXIAL CABLES

S.NO.	SIZE (SQ. MM)	NO. OF STRANDS
118	RG-6	JF, AL FOIL + AL. BRAIDED
119	RG-6 (270 MTR.)	JF, AL FOIL + AL. BRAIDED

CCTV CAMERA CABLES

S.NO.	SIZE (SQ. MM)	NO. OF STRANDS
120	CCTV (3+1)	14/.0052
121	CCTV (4+1)	14/.0052

COTTON - WIRES

S.NO.	SIZE (SQ. MM)	CORE
122	23 X 76	2
123	23 X 76	3
124	40 X 76	2
125	40 X 76	3



**DALIMA ALUMINIUM TWIN FLAT
PVC INSULATED CABLE 1100V**

S.NO.	SIZE (SQ. MM)	RATE (90 MTR)
126	1.50	735 .00
127	2.50	935 .00
128	4.00	1,235 .00
129	6.00	1,735 .00
130	10.00	2,670 .00
131	16.00	3,960 .00

**DALIMA ALUMINIUM - VIR
SINGLE CORE CABLES**

S.NO.	SIZE (SQ. MM)	NO. OF STRANDS
132	1.50	1/1.40
133	2.50	1/1.78
134	4.00	1/2.24
135	6.00	1/2.76
136	10.00	1/3.57

**DALIMA ALUMINIUM ROUND
UNARMoured CABLES**

S.NO.	SIZE (SQ. MM)	CORE
137	4.00	3
138	4.00	4
139	6.00	3
140	6.00	4
141	10.00	3
142	10.00	4
143	16.00	4
144	25.00	4
145	35.00	4

TWISTED **TRIPLE**
LAYER
WIRES

unisafe
wires & cables





**ENWIREMENT
FRIENDLY**

Registered office

DALIMA INDUSTRIES PVT LTD.

Plot No. 222 & 211, Pocket - J Sector -1

Bawana Industrial Area Delhi-110039

info@dalimaworld.com , www.dalimaworld.com